

Analysis Report

Official laboratory analysis summary for the submitted sample and associated quality-control review.

SAMPLE 5-Amino-1MQ	RECEIVED DATE Aug 03, 2026	ANALYSIS DATE Aug 10, 2026	REPORT GENERATED Aug 11, 2026
STRENGTH	50mg	MANUFACTURER	PeptiCoreAminos
BATCH NUMBER	PC-MQ50-0830U	LAB CODE	892-1
CLIENT	www.peptiCoreAminos.net		

SAMPLE INFORMATION

5-Amino-1MQ

50MG

FORMRed lyophilized powder in a glass vial

SAMPLE SUBMISSIONSample provided by customer

BATCHPC-MQ50-0830U

CAP / CRIMP COLORRed / Gold

RECEIVED DATEAug 03, 2026




SAMPLE IMAGE

ANALYTICAL SUMMARY

IDENTITY	5-Amino-1-methylquinolinium
QUANTITY	60.18mg
BATCH	PC-MQ50-0830U
MANUFACTURER	PeptiCoreAminos

RP-HPLC-UV CHROMATOGRAM (220 NM)
Detection: UV 220 nm | Runtime: 12.0 min

Sample ID: S-Helios-190
Report ID: SR-2024-0043
Method: RP-HPLC-UV Method for Peptide Analysis
Detector: UV 220 nm | Runtime: 12.0 min



METHOD

TIME	H2O + 0.1% TFA	ACN + 0.1% TFA
0min	95%	5%
2min	95%	5%
10min	8%	92%
12min	8%	92%


TECHNICAL NOTE

This report reflects the analytical findings obtained for the submitted sample under the stated test conditions. Total runtime: 12.0 minutes.

COMMENTS

Analytical findings confirm that the sample meets the defined specifications for identity, purity and impurity profile under the applied RP-HPLC-UV method.

LC-MS MASS SPECTRUM



ANALYSIS & METHODOLOGY

STANDARD PEPTIDE PURITY, MASS & ADDITIONAL TESTING

Sample analyzed by reverse-phase HPLC with UV detection using controlled analytical parameters. Chromatographic behavior and purity response were assessed through internal laboratory criteria.

BIOBURDEN

TEST	RESULT	UNIT	REPORTING LIMIT
Total Aerobic Microbial Count USP <61>/Eur. Ph. 2.6.12. Plate Count Method	Not detected	CFU/g	>= 1000
Total Yeast and Mold Count USP <61>/Eur. Ph. 2.6.12. Plate Count Method	Not detected	CFU/g	>= 100

ENDOTOXIN ANALYSIS

TEST	RESULT	UNIT	REPORTING LIMIT
Bacterial Endotoxin USP<85>/ Eur. Ph. 2.6.14. Bacterial Endotoxin Chromogenic Test	< 0.002	EU/mg	NMT 0.5

HEAVY METALS

TEST	RESULT	UNIT	REPORTING LIMIT
Arsenic Elemental Impurities Screening	Not detected	ppm	>= 1.5
Cadmium Elemental Impurities Screening	Not detected	ppm	>= 0.5
Cobalt Elemental Impurities Screening	Not detected	ppm	>= 25
Lead Elemental Impurities Screening	Not detected	ppm	>= 1.5

TEST	RESULT	UNIT	REPORTING LIMIT
Nickel Elemental Impurities Screening	Not detected	ppm	>= 25
Quicksilver Elemental Impurities Screening	Not detected	ppm	>= 1.5
Vanadium Elemental Impurities Screening	Not detected	ppm	>= 25

TECHNICAL APPENDIX

This appendix documents the analytical methodology, instrumentation and acceptance criteria applied for the evaluation of the sample.

METHOD SPECIFICATION

PARAMETER	RP-HPLC-UV METHOD FOR PEPTIDE ANALYSIS
ANALYTICAL MODE	Purity assessment of peptide sample by RP-HPLC-UV
COLUMN	C18 peptide column, 150 x 4.6 mm equivalent
MOBILE PHASE A	Water + 0.1% TFA
MOBILE PHASE B	Acetonitrile + 0.1% TFA
FLOW RATE	1.0 mL/min
DETECTION	UV 220 nm
INJECTION VOLUME	10 uL
RUNTIME	12.0 min
SAMPLE DILUENT	Water/acetonitrile compatible diluent
SAMPLE PREPARATION	Diluted to working concentration and filtered/clarified

INSTRUMENT PLATFORM

PARAMETER	STANDARD HPLC-UV PLATFORM
SYSTEM TYPE	Analytical HPLC system
DETECTOR	UV/VIS detector
ACQUISITION	Chromatographic acquisition and integration software
REVIEW MODE	Retention-time, UV response and mass-spectrum review
WORKFLOW NOTE	Used for routine peptide purity and identity screening
MS DETECTOR	Mass spectrometer, ESI+ acquisition
MS ACQUISITION	LC-MS spectral acquisition and processing

ANALYTICAL CRITERIA

PARAMETER	ACCEPTANCE FRAMEWORK	BASIS
IDENTITY	Retention-time and profile agreement with reference expectations	Chromatographic identity review
PURITY	NLT 98.0% unless a stricter report-specific specification is declared	Integrated RP-HPLC-UV purity profile

PARAMETER	ACCEPTANCE FRAMEWORK	BASIS
QUANTITY	Measured content reviewed against the declared sample strength	Report-level analytical summary
BIOBURDEN	Not detected or within stated reporting limits	Microbial screening table
ENDOTOXIN	Below stated reporting limit / internal screening threshold	Endotoxin analysis table
HEAVY METALS	Below individual reporting limits where screened	Elemental impurities screening table

This appendix documents the analytical methodology, instrumentation and acceptance criteria applied for the evaluation of the sample.

VERIFICATION

Verify this report through the official Synaptica Analytics verification page using the details below.

Verification URL synaptica-labs.com/verify-report

Report ID SYN-2026-005063

Verification Key VK-K739-MG9F

SCAN TO VERIFY



DIGITAL SIGNATURE

DIGITALLY SIGNED BY:
Martin Saar
Date: 2026.08.11
11:57:58 +02'00'
Director

info@synaptica-labs.com

Analysis date: Aug 10, 2026

Report generated: Aug 11, 2026

Analytical testing performed by Synaptica Analytics -
Analytical Services Division

Synaptica Analytics

SYN-2026-005063

Laboratory Analysis Report

VK-K739-MG9F

VERIFY AT

synaptica-labs.com/verify-report